

BOTANICAL NAME	COMMON NAME	NATIVE	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI	
WILDFLOWERS & FORBS:																																								
<i>Acalypha virginica</i>	three-seeded mercury, Virginia copperleaf	N-MI	AP				CL					CW	DP																											
<i>Achillea millefolium</i>	yarrow	I-MI				BP					CS	CW	DR										LM																	
<i>Aegopodium podagraria</i>	goutweed, goat's foot	I-MI					CL	CQ		CS		DP	DR												MC			NO												
<i>Ajuga reptans</i>	carpet-bugleweed or -bugle	I-MI																			HW				MC															
<i>Alliaria petiolata</i>	garlic-mustard	I-MI, Europe	AP	AW	BM		CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB		HW	KP	KW	LM		MH	NA	NC	NO		OP	OW	SB	SF	SM	VH		WC	WI	
<i>Allium canadense</i>	wild garlic, wild onion?	N-MI				BP		CP	CQ																															
<i>Allium schoenoprasum</i> var. <i>schoenoprasum</i>	chives	I-MI						CP																																
<i>Allium</i> sp.	chive														DR	EP					HW																			
<i>Allium tricoccum</i>	wild leek, ramps	N-MI									CS																													
<i>Ambrosia artemisiifolia</i>	common ragweed	N-MI				BP	CL	CP	CQ			CW					FB						LM		MH	NA	NC	NO	OH				SF			VH				
<i>Amphicarpaea bracteata</i>	hog-peanut	I-MI																																						
<i>Anemone quinquefolia</i>	wood anemone, wind-flower	N-MI									CS																													
<i>Antennaria neodioica</i> Greene ssp. <i>Petaloides</i>	field pussytoes	N-MI													EB																									
<i>Antennaria</i> sp.	pussytoes	N-MI									CS																													
<i>Anthemis</i> sp.	chamomile	I-MI																										NC												
<i>Apocynum androsaemifolium</i>	spreading or pink dogbane	N-MI									CS																	NC											WC	
<i>Apocynum</i> sp.	dogbane																																							
<i>Apocynum cannabinum</i>	Indian hemp	N-MI																	HB																					
<i>Aquilegia canadensis</i>	wild or red columbine	N-MI																																						
<i>Aralia nudicaulis</i>	wild sarsaparilla	N-MI			BM				CQ		CS	CW	DR				FB	GC	HB			KP	KW	LM	MC		NA					OP		SF				WC		
<i>Arctium minus</i>	common burdock	I-MI		AW	BP	BP		CP	CQ		CS		DP															NA	NC										WC	
<i>Arisaema triphyllum</i> ssp. <i>triphyllum</i>	woodland jack-in-the-pulpit, Indian turnip	N-MI			BM	BP			CQ	CS			DR	EP			GC	HB			HW	KP	KW																WC	
<i>Artemisia vulgaris</i>	mugwort	I-MI							CQ		CS																												VH	
<i>Asclepias incarnata</i> ssp. <i>incarnata</i>	smooth swamp-milkweed	N-MA																																						
<i>Asclepias syriaca</i>	common milkweed	N-MI			BP		CP	CQ				CW								HG				LM		MH	NA	NC							SF			VH		
<i>Asperula arvensis</i>	woodruff	I-MA													DR																									
"Aster" sp.	wood aster			AW	BM		CL								DR	EB	EP		GC			HW	KW																	WI
<i>Aster infirmus</i>	cornet-leaf or Appalachian flat-topped white aster	N-MI																																						WC
<i>Aster pilosus</i> var. <i>pilosus</i>	hairy aster	N-MI																																						
<i>Aster puniceus</i>	swamp aster	N-MI																																						
<i>Baptisia tinctoria</i>	yellow wild indigo, tattleweed, horsefly-weed	N-MI																				KP																	WC	
<i>Berteroa incana</i>	hoary alyssum	I-MI							CP																															
<i>Bidens bipinnata</i>	Spanish needles				BM																																			
<i>Bidens coronata</i>	Northern tickseed sunflower	N-MI																																						
<i>Bidens frondosa</i>	devil's pitchforks or beggar-ticks, stickights	N-MI							CQ				DP																											WI
<i>Bidens</i> sp.	bidens																																							
<i>Boehmeria cylindrica</i>	false nettle, bog-hemp	N-MI			BP			CQ																																
<i>Brassica juncea</i>	brown, Indian, or Chinese mustard	I-MI																																						
<i>Brassica rapa</i>	field mustard	I-MI																																						
<i>Caltha palustris</i>	marsh-marigold, cowslip	N-MI																																						
<i>Campanula rapunculoides</i>	creeping or rover-bellflower	I-MI					CL																																	
<i>Caulophyllum thalictroides</i>	late blue cohosh	N-MI									CS																													
<i>Centaurea nigra</i>	black knapweed	I-MI							CP																															
<i>Centaurea nigrescens</i> = <i>vochinensis</i>	Wocheiner knapweed	I-MI							CP																															
<i>Cerastium fontanum</i> ssp. <i>vulgare</i>	mouse-ear chickweed	I-MI																																						
<i>Chelidonium majus</i>	celandine, swallow-wort	I-MA	AP	AW	BM				CQ	CR	CS		DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW		MC															
<i>Chenopodium album</i>	pigweed, lamb's quarters	I-MI				BP	CL		CQ																															
<i>Chimaphila maculata</i>	striped pipsissewa, spotted wintergreen	N-MI							CQ		CS																													
<i>Chimaphila umbellata</i> ssp. <i>cisatlantica</i>	pipissewa, prince's pine	N-MI							CQ																															
<i>Cichorium intybus</i>	chicory, blue sailors, cornflower	I-MI				BP		CP	CQ		CS																													
<i>Cicuta maculata</i>	water-hemlock	N-MI				BP																																		

